

Clean Milk Production: From Healthy Animals to Safe Milk

Pratap Gore¹, Jaskiran kaur², Mohan Mondal³

¹ PhD Schlolar, ICAR-NDRI-ERS, Kalyani, West Bengal

² PhD Scholar, ICAR-IVRI, Bareilly, Uttar Pradesh

³ Sr. Scientist, ICAR-NDRI-ERS, Kalyani, West Bengal

doi.org/10.5281/TrendsInAgriculture.22862274

Abstract

Milk is an important source of high-quality protein, fat, minerals, vitamins and other biologically active components. However, its nutritional richness also makes it highly susceptible to microbial growth and contamination. Clean milk production refers to the production, collection, handling, storage and transportation of milk under hygienic conditions while maintaining animal health and milk quality. Contamination can occur from the udder, animal body surface, hands of milkers, utensils, water, feed, housing, milking equipment and the surrounding environment. Mastitis is another major factor affecting milk quality because infected udders may contribute microorganisms and inflammatory changes to milk. Good animal health, hygienic milking, proper udder preparation, clean equipment, rapid cooling and appropriate storage are therefore essential components of clean milk production. Modern technologies such as rapid microbial detection, sensors, automated milking systems and digital quality monitoring can further strengthen milk safety. Clean milk production is important not only for consumer health but also for improving dairy profitability and reducing milk losses.

Keywords: Clean milk, milk hygiene, dairy cattle, mastitis, microbial contamination, milk quality

A. Introduction

Milk occupies an important position in human nutrition and the dairy industry. It contains a balanced combination of nutrients and is consumed directly or processed into products such as curd, yogurt, cheese, butter and other dairy foods.

However, milk is also an excellent medium for microbial growth. Your recent article on microorganisms in milk emphasizes that the high water activity, nutrient composition and near-neutral pH of milk create favourable conditions for microbial growth.

Milk can become contaminated at almost every stage between the udder and the consumer. Therefore, clean milk production must begin at the farm and continue throughout collection, cooling, transportation and processing.

B. What is Clean Milk Production?

Clean milk production means obtaining milk from healthy animals under hygienic conditions and handling it in a manner that minimizes contamination while preserving its nutritional and technological quality.

The major components include:

Healthy animal → Clean udder → Hygienic milking → Clean utensils/equipment → Immediate filtration → Rapid cooling → Hygienic storage → Safe transportation



Clean milk production is therefore not a single activity. It is a continuous chain of hygienic practices.

C. Health of the Dairy Animal

The first requirement for producing good-quality milk is a healthy animal.

Animals should be:

- Regularly monitored for disease
- Properly vaccinated according to farm requirements
- Maintained under clean housing conditions
- Provided balanced nutrition
- Supplied safe drinking water
- Regularly examined for udder health

Particular attention should be given to mastitis. Mastitis can contribute microorganisms and inflammatory compounds to milk and consequently affect milk quality.

Animals receiving antibiotics should also be managed according to appropriate withdrawal periods so that milk containing unacceptable residues does not enter the food chain.

D. Udder and Teat Hygiene

The udder is one of the most important sources of contamination during milking.

Before milking:

1. Observe the udder and teats.
2. Check for visible dirt or manure.

3. Clean dirty teats appropriately.
4. Use clean water and hygienic materials.
5. Dry the teats using clean individual towels.
6. Perform pre-milking teat disinfection where appropriate.
7. Discard abnormal milk.

The teat surface should be as clean and dry as possible before milking.

E. Hygiene of the Milker

Human handling is another important source of contamination.

Milk handlers should:

- Wash hands before milking
- Keep fingernails short and clean
- Avoid touching contaminated surfaces
- Wear clean clothing
- Cover wounds appropriately
- Avoid coughing or sneezing over milk
- Maintain personal hygiene

Good hygiene is particularly important when milk is collected manually.

F. Clean Milking Equipment

Milking equipment, buckets, cans, filters and other utensils can become major sources of contamination if they are not properly cleaned.

Equipment should be:

- Cleaned immediately after use
- Washed using appropriate cleaning procedures
- Properly rinsed
- Disinfected where required
- Dried adequately
- Protected from dust and insects
- Stored in a clean area

Biofilms are an important challenge because microorganisms can attach to equipment surfaces and become difficult to remove. Your milk microbiology article identifies biofilm formation as a persistent contamination problem in dairy processing environments.

G. Clean Water

Water used for cleaning udders, equipment and milking areas should be of appropriate quality. Contaminated water can introduce microorganisms into:

- Teats

- Milking equipment
- Milk containers
- Farm surfaces

Therefore, water quality should be included in routine farm hygiene programmes.

H. Housing and Farm Environment

The environment surrounding the animal directly affects milk hygiene.

Important practices include:

- Clean bedding
- Regular removal of manure
- Proper drainage
- Dry floors
- Adequate ventilation
- Control of flies and insects
- Clean feeding areas
- Prevention of dust accumulation

Environmental microorganisms from bedding, soil, water and equipment surfaces can enter milk when sanitation is inadequate.

I. Milk Cooling and Storage

Freshly collected milk should be cooled rapidly whenever appropriate infrastructure is available.

Rapid cooling helps slow microbial multiplication. However, refrigeration does not eliminate all microorganisms.

Psychrotrophic bacteria can grow at refrigeration temperatures and may produce enzymes that degrade milk proteins and fats.

Therefore:

Clean milk + rapid cooling + hygienic storage = better milk quality

J. Detection of Milk Contamination

Traditional milk-quality monitoring includes:

- Standard plate count
- Coliform count
- Somatic cell count
- Pathogen detection
- Antibiotic residue testing

Modern technologies are providing additional possibilities.

PCR and qPCR can provide sensitive detection of microorganisms, while biosensors and microfluidic technologies are being investigated for rapid and potentially on-line monitoring.

K. Advantages of Clean Milk Production

- Improves consumer safety
- Increases shelf life
- Reduces microbial contamination
- Improves processing quality
- Reduces milk spoilage
- Reduces economic losses
- Improves farmer income
- Supports production of quality dairy products
- Builds consumer confidence

Microbial contamination can result in foodborne illness, spoilage, product recalls and economic losses throughout the dairy value chain.

L. Common Causes of Poor Milk Quality

- Dirty animals
- Mastitis
- Poor milking hygiene
- Dirty utensils
- Contaminated water
- Poor housing hygiene
- Delayed cooling
- Improper milk storage
- Inadequate cleaning of milking equipment
- Poor transportation conditions

M. Future Perspectives

The future of clean milk production will increasingly combine conventional hygiene with modern technology.

Potential developments include:

- Automated milking systems
- Digital milk-quality monitoring
- Rapid microbial biosensors
- Smart temperature monitoring
- Electronic mastitis detection
- Automated teat disinfection

- AI-assisted farm management
- Blockchain-based traceability
- On-farm rapid diagnostic systems

The integration of rapid detection, predictive microbial monitoring and improved sanitation is expected to strengthen dairy hygiene systems.

N. Conclusion

Clean milk production begins with a healthy animal and continues through hygienic milking, clean equipment, safe water, rapid cooling, proper storage and hygienic transportation. Every stage of the milk chain contributes to the final quality of the product. Improving farm-level hygiene is therefore one of the simplest and most effective approaches to improving dairy food safety.

The future of clean milk production will depend on combining good management practices with rapid diagnostics, sensors, automation and digital monitoring technologies.